


GLOBE VALVE



Sealing face(seat/disc): STL		
22		
21		
20		
19		
18		
17		
16		
15		
14	H.W.Lock Nut	Carbon Steel
13	Handwheel	A197
12	Stem Nut	A276 410
11	Nut	A194 4
10	Gland Flange	F304
9	Gland	A276 420
8	Bolt	A193 B16
7	Stem Packing	Graphite
6	Bonnet Bolt	A193 B16
5	Bonnet	F12
4	Gasket	SS304+Graphite
3	Stem	13Cr
2	Disc	13Cr+STL
1	Body	F12
No	Partname	Material

TECHNICAL REQUIREMENTS

- 1: Design and manufacture as per BS 5352
- 2: Socket weld ends as per ANSI B16.25/ASME B36.10
- 3: Valve inspection and test as per API 598
- 4: Reduced bore

ITEM	NPS	L	H _(open)	ØW	D
1	2"	220	337	200	35

CLASS: 1500#

CLASS	1500	L B
SHELL TEST PRE(HYD)	38.5	MPa
SEAT TEST PRE(HYD)	28.3	
SEAT TEST PRE(AIR)	0.6	

Drawing		Time		Tel		DRW Industrietechnik GmbH
Check		NO.		Fax		